

## 2<sup>nd</sup> International Conference and Exhibition on **Pharmacognosy, Phytochemistry & Natural Products**

August 25-27, 2014 DoubleTree by Hilton Beijing, China

### Bioactive components from the butanol extract of *Salvia argentea* var. *aurasiaca* (Pomel) Batt. & Trab.

Ahmed Kabouche<sup>1</sup>, Hichem Lakhal<sup>1</sup>, Ouissem Gherboudj<sup>1</sup>, Abdulmagid Alabdul Magid<sup>2</sup>, Laurence Voutquenne-Nazabadioko<sup>2</sup>, Mehmet Öztürk<sup>3</sup>, Dominique Harakat<sup>2</sup> and Zahia Kabouche<sup>1</sup>

<sup>1</sup>University of Constantine 1, Algeria

<sup>2</sup>CNRS, France

<sup>3</sup>Mugla Sıtkı Koçman University, Turkey

The genus *Salvia* (Lamiaceae) is rich with bioactive secondary metabolites such as flavonoids, diterpenoids, triterpenoids and other compounds. We report here the isolation of terpenoids, flavonoids and other compounds from the butanol extract of *Salvia argentea* L. var. *aurasiaca* (Pomel) Batt. & Trab. Their structures were elucidated by 1D and 2D NMR and HRESIMS analyses. Antioxidant (DPPH, ABTS, CUPRAC) and anticholinesterase (acetylcholinesterase, butyrylcholinesterase) activities have been investigated.

ahkabouche@yahoo.fr